

Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS 2	propagation with delay\$3 with electric\$4 with communication\$1 with transmitter\$1 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:08	
2	BRS 1	propagation with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:16	
3	BRS 272	702/68,69.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:11	
4	BRS 47	propagation with delay\$3 with electric\$4 with communication\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:15	
5	BRS 8	propagation with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:16	

	Error Definitio n	Errors	Ref #
1			S2
2			S3
3			S4
4			S1
5			S5

	Type	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	8	propagat\$4 with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:18	
7	BRS	26	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:20	
8	BRS	9	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:20	
9	BRS	2	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2 and clock\$1 with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:27	

	Error Definitio n	Errors	Ref #
6			S6
7			S7
8			S8
9			S9

	Type	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	0	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:28	
11	BRS	0	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:28	
12	BRS	585	propagat\$4 with delay\$3 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:28	
13	BRS	19	propagat\$4 with delay\$3 and electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:30	

	Error Definitio n	Errors	Ref #
10			S10
11			S11
12			S12
13			S13

	Type	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	0	propagat\$4 with delay\$3 and electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:30	
15	BRS	6	propagat\$4 with delay\$3 and communication\$1 with transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:31	
16	BRS	12	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:36	
17	BRS	6	S16 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:32	
18	BRS	208	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:36	

	Error Definitio n	Errors	Ref #
14			S14
15			S15
16			S16
17			S17
18			S18

	Type	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	118	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:37	
20	BRS	49	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:37	
21	BRS	1	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and ideal with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 11:38	
22	BRS	3	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 13:44	

	Error Definitio n	Errors	Ref #
19			S19
20			S20
21			S21
22			S22

	Type	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	24	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and initial with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 13:56	
24	BRS	2	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and initial adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 13:56	
25	BRS	1	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with initial with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:06	

	Error Definitio n	Errors	Ref #
23			S26
24			S27
25			S28

	Type	Hits	Search Text	DBs	Time Stamp	Comments
26	BRS	19	<p>propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with (ideal or initial or desired or reference or expected or predetermined or preset\$4 or predefined) with delay\$3</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/06/13 14:07	
27	BRS	19	<p>propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with (ideal or desired or reference or expected or predetermined or preset\$4 or predefined) with delay\$3</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/06/13 14:16	

	Error Definitio n	Errors	Ref #
26			S29
27			S30

	Type	Hits	Search Text	DBs	Time Stamp	Comments
28	BRS	7	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:19	
29	BRS	60	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:19	

	Error Definitio n	Errors	Ref #
28			S31
29			S32

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	4	<p>propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3) with (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/06/13 14:26	
31	BRS	2	<p>transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/06/13 14:29	

	Error Definitio n	Errors	Ref #
30			S33
31			S34

	Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	3	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:30	
33	BRS	4	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3) with propagat\$4 same delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:34	

	Error Definitio n	Errors	Ref #
32			S35
33			S36

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	7	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 same delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:38	
35	BRS	37	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:43	

	Error Definitio n	Errors	Ref #
34			S37
35			S38

	Type	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	3	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:47	

	Error Definitio n	Errors	Ref #
36			S39

	Type	Hits	Search Text	DBs	Time Stamp	Comments
37	BRS	7	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:56	
38	BRS	6294	375/346,354,355,350.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:52	

	Error Definitio n	Errors	Ref #
37			S40
38			S41

	Type	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	28	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 14:57	

	Error Definitio n	Errors	Ref #
39			S42

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	12	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:05	

	Error Definitio n	Errors	Ref #
40			S43

	Type	Hits	Search Text	DBs	Time Stamp	Comments
41	BRS 1		transmitter\$1 with receiver\$1 with sequence with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:06	

	Error Definitio n	Errors	Ref #
41			S44

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	1	transmitter\$1 with receiver\$1 with sequence with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:05	

	Error Definitio n	Errors	Ref #
42			S45

	Type	Hits	Search Text	DBs	Time Stamp	Comments
43	BRS	1	transmitter\$1 with receiver\$1 same sequence with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:07	

	Error Definitio n	Errors	Ref #
43			S46

	Type	Hits	Search Text	DBs	Time Stamp	Comments
44	BRS	11	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:07	

	Error Definitio n	Errors	Ref #
44			S47

	Type	Hits	Search Text	DBs	Time Stamp	Comments
45	BRS	2	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:09	

	Error Definitio n	Errors	Ref #
45			S48

	Type	Hits	Search Text	DBs	Time Stamp	Comments
46	BRS	2	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and determin\$3 with bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:11	

Error Definition n	Errors	Ref #
46		S49

	Type	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	2	transmitter\$1 with receiver\$1 and bit\$1 with sequence\$1 and clock\$1 with count\$3 and determin\$3 with bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:13	

	Error Definitio n	Errors	Ref #
47			S50

	Type	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	2	transmitter\$1 with receiver\$1 with bit\$1 and bit\$1 with sequence\$1 and clock\$1 with count\$3 and determin\$3 with bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:14	

	Error Definitio n	Errors	Ref #
48			S51

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	3	transmitter\$1 with receiver\$1 with bit\$1 and bit\$1 with sequence\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:21	

	Error Definitio n	Errors	Ref #
49			S52

	Type	Hits	Search Text	DBs	Time Stamp	Comments
50	BRS	0	transmitter\$1 with receiver\$1 with bit\$1 and bit\$1 with sequence\$1 and inread\$3 with clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:22	

	Error Definitio n	Errors	Ref #
50			S53

	Type	Hits	Search Text	DBs	Time Stamp	Comments
51	BRS	3	transmitter\$1 with receiver\$1 with bit\$1 and bit\$1 with sequence\$1 and increment\$3 with clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:37	

	Error Definition n	Errors	Ref #
51			S54

	Type	Hits	Search Text	DBs	Time Stamp	Comments
52	BRS	3	transmitter\$1 with receiver\$1 and bit\$1 with generat\$3 and bit\$1 with sequence\$1 and increment\$3 with clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/13 15:38	

Error Definitio n	Errors	Ref #
52		S55